




Health Consequences and Costs

Smoking	g - Attributable Mortality (SAM), 2000-2004		Smokin	g - Attributable Productivity Losses, 2000-2004	Smoking - Attributable Expenditures (SAEs), 2004	
	SAM* Total	SAM [†] Rate		Productivity Losses* (\$)	Type of Expense	SAEs (\$)
Overall:	9,728	308.9	Overall:	2,624,232,000	Overall:	2,180,000,000
Male:	5,857	457.2	Male:	1,721,476,000	Ambulatory Care:	318,000,000
Female:	3,871	207.7	Female:	902,756,000	Hospital Care:	1,137,000,000
Note: *Average	Note: *Average annual total among adults aged 35 years			e annual total among adults aged 35 years	Nursing Home Care:	215,000,000
and older. It do deaths.	es not include burn or	r secondhand smoke	and older. It do	oes not include burn or secondhand smoke	Prescription Drugs:	372,000,000
1					Other*†:	138,000,000
¹ Age-adjusted	[†] Age-adjusted rate expressed per 100,000 population.				Note: *Excess personal health care diseases for which cigarette smokin among adults aged 18 years and old services and durable medical equip	g is a primary risk factor, der. [†] Home health


Source: Smoking Attributable Mortality, Morbidity, and Economic Costs (SAMMEC) online application

Behaviors

Cigarette Use (Adults), 2013




Cessation (Adults), 2013



Source: Behavioral Risk Factor Surveillance System (BRFSS)


Source: Behavioral Risk Factor Surveillance System (BRFSS)

Current Smoking (Adults), 2013




Note: * Estimates for education are based on adults aged 20 years and older. Estimates for racial/ethnic groups are based on combined 2012 and 2013 data. **Source:** Behavioral Risk Factor Surveillance System (BRFSS)

Smoking Prevalence (Youth), 2011



Source: State data from Youth Risk Behavior Surveillance System (YRBSS), 2011; National data from National Youth Risk Behavior Survey (NYRBS), 2013

Cessation (Youth), 2010




Note: *Percent of Smokers who quit cigarettes for one or more days during the past year.

Source: State data from Youth Tobacco Survey (YTS), 2010; National data from National Youth Tobacco Survey (NYTS), 2011

Environment


Smokefree Policies in Homes, 2010-2011



Note: The above estimate is a percentage of households with smokefree rules. The estimate is based on agreement of self-respondents aged 15 years and older within each household.

Source: Tobacco Use Supplement to the Current Population Survey (TUS-CPS)

Smokefree Policies in Indoor Worksites, 2010-2011



Note: The above estimate is a percentage of people aged 15 years and older, who work in indoor worksites with smokefree policies.

Source: Tobacco Use Supplement to the Current Population Survey (TUS-CPS)

Medicaid Coverage of Cessation Treatments and Barriers to Treatments, 2014, 2nd Quarter

Medicaid Coverage of Cessation Treatments						
	Fee-For-Service Plans	Managed Care Plans	Summary			
Comprehensive Medicaid Coverage of Treatments:	Yes	Yes	Yes			
Counseling [†]						
Individual Counseling:	Yes	Yes	Yes			
Group Counseling:	Yes	Yes	Yes			
Medications						
Nicotine Patch:	Yes	Yes	Yes			
Nicotine Gum:	Yes	Yes	Yes			
Nicotine Lozenge:	Yes	Yes	Yes			
Nicotine Nasal Spray:	Yes	Yes	Yes			
Nicotine Inhaler:	Yes	Yes	Yes			
Bupropion (Zyban®):	Yes	Yes	Yes			
Varenicline (Chantix®):	Yes	Yes	Yes			

Barriers to Treatments								
Fee-For-Service Plans Managed Care Plans Summary								
Barriers to Treatments:	Yes	Yes	Yes					
Co-Payments Required:	Yes	Yes	Yes					
Prior Authorization Required:	No	No	No					
Counseling Required for Medications:	Yes	Yes	Yes					
Stepped Care Therapy Required:	Yes	Yes	Yes					
Limits on Duration:	Yes	Yes	Yes					
Annual Limits:	Yes	Yes	Yes					
Lifetime Limits:	No	No	No					
Other:	No	No	No					

 $^{^{\}dagger}$ Telephone counseling is available through the state quitline.

Note: Section 2502 of the Patient Protection and Affordable Care Act requires all state Medicaid programs to cover all FDA-approved tobacco cessation medications as of January 1, 2014. However, states are currently in the process of modifying their coverage to come into compliance with this requirement. Data in the STATE System on Medicaid coverage of tobacco cessation medications reflect evidence of coverage that is found in documentable sources, and may not yet reflect medications covered under this requirement.

Source: American Lung Association State Tobacco Cessation Coverage Database

Legislation

Legislation - Smokefree Indoor Air, 2014, 2nd Quarter

	Indo	Penalties				
	Banned (100% Smokefree)	Separated Ventilated Areas	Designated Areas	None	To Business	To Smoker
Government Worksites	✓				✓	✓
Private Worksites	✓				✓	✓
Restaurants	✓				✓	✓
Commercial Day Care Centers	✓				✓	✓
Home-based Day Care Centers				4		

Source: Office on Smoking and Health (OSH)

Legislation – Excise Tax 2014, 2nd Quarter

Cigarette Tax Per Pack	\$0.995
Smokeless Tobacco	
Smokeless Tax	Yes
Percent Value	24
Type of Tax	Wholesale Price
Chewing Tobacco Tax (\$)	No Provision
Snuff Tax (\$)	No Provision

Legislation - Licensure, 2014, 2nd Quarter

Over-the-Counter		Vending Machines		
License Required	Yes	License Required	Yes	
Includes Cigarettes	Yes	Includes Cigarettes	Yes	
Includes Chewing Tobacco	Yes	Includes Chewing Tobacco	No Provision	

Source: Office on Smoking and Health (OSH)

Source: Office on Smoking and Health (OSH)

Legislation – Advertising 2014, 2nd Quarter

Any Restrictions	No Provision
Banned on State Property	No Provision
Banned on Public Transportation	No Provision
Any Restrictions on Tobacco Billboards	No Provision
Banning of Tobacco Billboards	No Provision

Source: Office on Smoking and Health (OSH)

Legislation - Youth Access, 2014, 2nd Quarter

Cigarette Sales		Cigarette Vending Machines		
Minimum Age	Yes	Restriction on Access	Yes	
Minimum Age (Years)	18	Banned from Location	Yes	
Purchase Prohibited	Yes	Limited Placement	No Provision	
Possession Prohibited	Yes	Locking Device	No Provision	
Use Prohibited	No Provision	Supervision	No Provision	

Source: Office on Smoking and Health (OSH)

Legislation - Preemption, 2014, 2nd Quarter

Any Preemption: Yes

Preemption on Smokefree Indoor	Preemption on Advertising		Preemption on Youth Access				
Bars	No	Promotion	Yes	Sales to Youth	Yes		
Government Worksites	No	Display	Yes	Distribution	Yes		
Private Worksites	No	Sampling	Yes	Vending Machines	No Provision		
Restaurants	No	Other	Yes				

Source: Office on Smoking and Health (OSH)

Economics


State Revenue from Tobacco Sales and Settlement

Tobacco Settlement Revenue (\$): 2014	\$45,442,916.61	
Gross Cigarette Tax Revenue (\$): 2013	\$434,473,203	
Cigarette Tax Per Pack, 2014–2 Quarter	\$0.995	
Cigarette Consumption (Pack Sales Per Capita), 2013	66.90	

Source: Settlement Revenue from National Association of Attorneys General (NAAG); Cigarette Tax from Office on Smoking and Health (OSH); Others from Orzechowski and Walker (OW)

Investment in Tobacco Control

Appropriations/Grants, 2011



Total Amount and Total Per Capita			
	Amount (\$)		
Total Amount:	11,291,928.00		
Total Per Capita:	1.73		


Total Amount by Source						
Source	Funding Cycle					
State:	9,200,000.00	81.5	07/10-06/11 †			
Federal:	2,061,286.00	18.3	04/10-03/11 ‡			
American Legacy Foundation:	0.00	0.0	07/10-06/11			
Robert Wood Johnson Foundation:	30,642.00	0.3	07/10-06/11			
Total:	11,291,928.00	100.0				

Note: The data are not adjusted for inflation.

Source: Bridging the Gap/ImpacTeen Project, University of Iillinois at Chicago Health Policy Center (UIC)

[†] For state appropriations, the state funding cycle reported is the state's fiscal year for data from 2000 - 2011. For years prior to 2000, state funding data were tracked for a funding cycle set at July 1 to June 30 for all 50 states and DC.

[‡] For federal appropriations, the funding cycle reported is the funding cycle for the OSH NTCP grant.



Expenditures as a Percentage of 2007 CDC Recommended Level							
Total Amount (\$):	9,350,000.00						
Total Per Capita (\$):	1.44						
2007 CDC Best Practices Recommended Annual Investment (\$):	78,800,000.00						
Total Expenditures as a Percentage of 2007 CDC Recommended Level (%):	11.9						

Expendit	Expenditures by 2007 CDC Best Practices Program Components									
Program Components	Amount (\$)	Percentage of Total Amount (%)								
State and Community Interventions:	5,990,000.00	64.1								
Health Communication Interventions:	900,000.00	9.6								
Cessation Interventions:	1,000,000.00	10.7								
All Interventions Subtotal:	7,890,000.00	84.4								
Surveillance and Evaluation:	560,000.00	6.0								
Administration and Management:	900,000.00	9.6								
Total:	9,350,000.00	100.0								

Note: The data are not adjusted for inflation.

Source: Bridging the Gap/ImpacTeen Project, University of Iillinois at Chicago Health Policy Center (UIC)

Quitline

General Information

Quitline Name: Indiana Tobacco Quitline Phone Numbers: 317-234-1780, 317-234-1787

Services Available - Hours of Operation and Available Languages

Co. 11000 / (ranabi	- пошто от орг	ranon ana rivan	abic Languages				
		H	ours of Operation	— Live Pick Up Ca	lls		
Quarter	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
2013-Q4	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours
2013-Q3	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours
2013-Q2	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours
2013-Q1	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours
2012-Q4	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours
2012-Q3	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours
2012-Q2	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours
2012-Q1	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours

Hours of Operation — Counseling Available											
Quarter	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday				
2013-Q4	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours				
2013-Q3	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours				
2013-Q2	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours				
2013-Q1	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours				
2012-Q4	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours				
2012-Q3	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours				
2012-Q2	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours				
2012-Q1	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours				

Source: National Quitline Data Warehouse, Office on Smoking and Health (NQDW OSH)

		Av	ailable Langu	ages				
Language	2012-Q1	2012-Q2	2012-Q3	2012-Q4	2013-Q1	2013-Q2	2013-Q3	2013-Q4
English	✓	✓	✓	✓	✓	✓	✓	✓
Spanish	✓	✓	✓	✓	✓	✓	✓	✓
French	✓	✓	✓	✓	✓	✓	✓	✓
Cantonese	✓	✓	✓	✓	✓	✓	✓	✓
Mandarin	✓	✓	✓	✓	✓	✓	✓	✓
Korean	✓	✓	✓	✓	✓	✓	✓	✓
Vietnamese	✓	✓	✓	✓	✓	✓	✓	✓
Russian	✓	✓	✓	✓	✓	✓	✓	✓
Greek	✓	✓	✓	✓	✓	✓	✓	✓
Amharic (Ethiopian)	✓	✓	✓	✓	✓	✓	✓	✓
Punjabi	✓	✓	✓	✓	✓	✓	✓	✓
Deaf and Hard of Hearing (TTY)	✓	✓	✓	✓	✓	✓	✓	✓
Deaf and Hard of Hearing with Video Relay	✓	✓	✓	✓	~	✓	~	✓

Source: National Quitline Data Warehouse, Office on Smoking and Health (NQDW OSH)

Services Availab	le - Counseling								
Counseling Available to Everyone†									
2012-Q1	2012-Q2	2012-Q3	2012-Q4	2013-Q1	2013-Q2	2013-Q3	2013-Q4		
✓	✓	✓	✓	✓	✓	✓	✓		

[†] Eligibility criteria do not include Resident of State, Age, and Readiness to Quit.

Source: National Quitline Data Warehouse, Office on Smoking and Health (NQDW OSH)

	Number of Counseling Sessions Offered to All Eligible Callers										
2012-Q1	2012-Q1 2012-Q2 2012-Q3 2012-Q4 2013-Q1 2013-Q2 2013-Q3 2013-Q4										
4	4	4	4	4	4	4	4				

Source: National Quitline Data Warehouse, Office on Smoking and Health (NQDW OSH)

Services Available - Medications


	Free Medications†												
Medication	2012-Q1	2012-Q2	2012-Q3	2012-Q4	2013-Q1	2013-Q2	2013-Q3	2013-Q4					
Nicotine Patch	<	৶	<	<		<	<	<					
Nicotine Gum	<	৶	<	<		<	<	<					
Nicotine Lozenge	<	<	<	<									
Nicotine Nasal Spray													
Nicotine Inhaler													
Bupropion (Zyban®)													
Varenicline (Chantix®)													

 $[\]checkmark$ Free Medication Offered - No Requirements \checkmark Free Medication Offered - With Requirements

Source: National Quitline Data Warehouse, Office on Smoking and Health (NQDW OSH)

Service Utilization - Call Volume

Total Incoming Calls




	Total Incoming Calls									
2012-Q1	2012-Q1 2012-Q2 2012-Q3 2012-Q4 2012-Total 2013-Q1 2013-Q2 2013-Q3 2013-Q4 2013-Total								2013-Total	
5,245	8,616	4,709	3,923	22,493	7,387	9,966	4,519	5,964	27,836	

Source: National Quitline Data Warehouse, Office on Smoking and Health (NQDW OSH)

 $^{^{\}dagger}$ Eligibility criteria do not include Resident of State, Age, and Readiness to Quit.

Service Utilization - Services Received

Total Callers Who Received Counseling and/or Medications †




	Total Callers Who Received Counseling and/or Medications†										
2012-Q1 2012-Q2 2012-Q3 2012-Q4 2012-Total 2013-Q1 2013-Q2 2013-Q3 2013-Q4 2013-Total								2013-Total			
1,883	2,458	1,747	1,556	7,644	2,193	2,411	1,441	1,678	7,723		

 $[\]ensuremath{^\dagger}$ Only includes callers who called for themselves.

Source: National Quitline Data Warehouse, Office on Smoking and Health (NQDW OSH)

Service Utilization - Caller Characteristics

Characteristics of Callers † ‡, 2012-2013




[†] Only includes callers who called for themselves. Missing values have been excluded.

Source: National Quitline Data Warehouse, Office on Smoking and Health (NQDW OSH)

 $[\]ddagger$ Percentages for race/ethnicity may sum to more than 100% because some callers select more than one race/ethnicity.

Service Utilization - Types of Tobacco Products Used

Types of Tobacco Products Used, 2012-2013



Types of Tobacco Products Used, 2012-2013

Source: National Quitline Data Warehouse, Office on Smoking and Health (NQDW OSH)

Note: Throughout this report NA indicates that the data are not available or are not shown because sample size is < 50.

[†] Only includes callers who called for themselves. Percentages may sum to more than 100% because some callers select more than one tobacco product. The percentage of callers who reported using more than one tobacco product is indicated by Multiple Tobacco Products.