


Health Consequences and Costs


Smoking - Attributable Mortality (SAM), 2000-2004			- Attributable Productivity Losses, 2000-2004	Smoking - Attributable Expenditures (SAEs), 2004		
	SAM* Total	SAM [†] Rate		Productivity Losses* (\$)	Type of Expense	SAEs (\$)
Overall:	5,536	215.1	Overall:	1,275,071,000	Overall:	1,932,000,000
Male:	3,405	323.0	Male:	848,402,000	Ambulatory Care:	346,000,000
Female:	2,131	140.3	Female:	426,669,000	Hospital Care:	976,000,000
Note: *Average	annual total among a	dults aged 35 years		annual total among adults aged 35 years	Nursing Home Care:	179,000,000
and older. It do deaths.	es not include burn o	r secondhand smoke	and older. It doe deaths.	es not include burn or secondhand smoke	Prescription Drugs:	258,000,000
_					Other*†:	173,000,000
[†] Age-adjusted rate expressed per 100,000 population.				Note: *Excess personal health care ediseases for which cigarette smoking among adults aged 18 years and old services and durable medical equipr	is a primary risk factor, ler. [†] Home health	

Source: Smoking Attributable Mortality, Morbidity, and Economic Costs (SAMMEC) online application

Behaviors




Cessation (Adults), 2013



Source: Behavioral Risk Factor Surveillance System (BRFSS)


Source: Behavioral Risk Factor Surveillance System (BRFSS)

Current Smoking (Adults), 2013




Note: * Estimates for education are based on adults aged 20 years and older. Estimates for racial/ethnic groups are based on combined 2012 and 2013 data. **Source:** Behavioral Risk Factor Surveillance System (BRFSS)

Smoking Prevalence (Youth), 2008



Source: State data from Youth Tobacco Survey (YTS), 2008; National data from National Youth Tobacco Survey (NYTS), 2011

Cessation (Youth), 2002




Note: *Percent of Smokers who quit cigarettes for one or more days during the past year.

Source: State data from Youth Tobacco Survey (YTS), 2002; National data from National Youth Tobacco Survey (NYTS), 2011

Environment


Smokefree Policies in Homes, 2010-2011



Note: The above estimate is a percentage of households with smokefree rules. The estimate is based on agreement of self-respondents aged 15 years and older within each household.

Source: Tobacco Use Supplement to the Current Population Survey (TUS-CPS)

Smokefree Policies in Indoor Worksites, 2010-2011



Note: The above estimate is a percentage of people aged 15 years and older, who work in indoor worksites with smokefree policies.

Source: Tobacco Use Supplement to the Current Population Survey (TUS-CPS)

Medicaid Coverage of Cessation Treatments and Barriers to Treatments, 2014, 2nd Quarter

Medicaid Coverage of Cessation Treatments						
	Fee-For-Service Plans	Managed Care Plans	Summary			
Comprehensive Medicaid Coverage of Treatments:	Yes	Yes	Yes			
Counseling [†]						
Individual Counseling:	Yes	Yes	Yes			
Group Counseling:	Yes	Yes	Yes			
Medications						
Nicotine Patch:	Yes	Yes	Yes			
Nicotine Gum:	Yes	Yes	Yes			
Nicotine Lozenge:	Yes	Yes	Yes			
Nicotine Nasal Spray:	Yes	Yes	Yes			
Nicotine Inhaler:	Yes	Yes	Yes			
Bupropion (Zyban®):	Yes	Yes	Yes			
Varenicline (Chantix®):	Yes	Yes	Yes			

Barriers to Treatments						
	Fee-For-Service Plans	Managed Care Plans	Summary			
Barriers to Treatments:	Yes	Yes	Yes			
Co-Payments Required:	Yes	Yes	Yes			
Prior Authorization Required:	No	No	No			
Counseling Required for Medications:	No	No	No			
Stepped Care Therapy Required:	No	No	No			
Limits on Duration:	No	No	No			
Annual Limits:	No	No	No			
Lifetime Limits:	No	No	No			
Other:	No	No	No			

 $^{^{\}dagger}$ Telephone counseling is available through the state quitline.

Note: Section 2502 of the Patient Protection and Affordable Care Act requires all state Medicaid programs to cover all FDA-approved tobacco cessation medications as of January 1, 2014. However, states are currently in the process of modifying their coverage to come into compliance with this requirement. Data in the STATE System on Medicaid coverage of tobacco cessation medications reflect evidence of coverage that is found in documentable sources, and may not yet reflect medications covered under this requirement.

Source: American Lung Association State Tobacco Cessation Coverage Database

Legislation

Legislation - Smokefree Indoor Air, 2014, 2nd Quarter

	Indoor Air Restrictions on Smoking					Penalties	
	Banned (100% Smokefree)	Separated Ventilated Areas	Designated Areas	None	To Business	To Smoker	
Government Worksites	✓				✓	✓	
Private Worksites	✓				✓	✓	
Restaurants	✓				✓	✓	
Commercial Day Care Centers	✓				✓	✓	
Home-based Day Care Centers	✓				✓	✓	

Source: Office on Smoking and Health (OSH)

Legislation – Excise Tax 2014, 2nd Quarter

Cigarette Tax Per Pack	\$2.830				
Smokeless Tobacco					
Smokeless Tax	Yes				
Percent Value	95				
Type of Tax	Retail Sales Price				
Chewing Tobacco Tax (\$)	No Provision				
Snuff Tax (\$)	No Provision				

Legislation - Licensure, 2014, 2nd Quarter

Over-the-Counter		Vending Machines	
License Required	Yes	License Required	Yes
Includes Cigarettes	Yes	Includes Cigarettes	Yes
Includes Chewing Tobacco	Yes	Includes Chewing Tobacco	Yes

Source: Office on Smoking and Health (OSH)

Source: Office on Smoking and Health (OSH)

Legislation – Advertising 2014, 2nd Quarter

Any Restrictions	Yes
Banned on State Property	No Provision
Banned on Public Transportation	No Provision
Any Restrictions on Tobacco Billboards	No Provision
Banning of Tobacco Billboards	No Provision

Source: Office on Smoking and Health (OSH)

Legislation - Youth Access, 2014, 2nd Quarter

Cigarette Sales		Cigarette Vending Machines		
Minimum Age	Yes	Restriction on Access	Yes	
Minimum Age (Years)	18	Banned from Location	Yes	
Purchase Prohibited	Yes	Limited Placement	No Provision	
Possession Prohibited	Yes	Locking Device	No Provision	
Use Prohibited	Yes	Supervision	No Provision	

Source: Office on Smoking and Health (OSH)

Legislation - Preemption, 2014, 2nd Quarter

Any Preemption: No

Preemption on Smokefree Indoor Air	Preemption on Advertising		Preemption on Youth Access		
Bars	No	Promotion	No Provision	Sales to Youth	No
Government Worksites	No	Display	No Provision	Distribution	No
Private Worksites	No	Sampling	No Provision	Vending Machines	No
Restaurants	No	Other	No Provision		

Source: Office on Smoking and Health (OSH)

Economics


State Revenue from Tobacco Sales and Settlement

Tobacco Settlement Revenue (\$): 2014	\$164,528,610.00
Gross Cigarette Tax Revenue (\$): 2013	\$372,223,925
Cigarette Tax Per Pack, 2014–2 Quarter	\$2.830
Cigarette Consumption (Pack Sales Per Capita), 2013	43.10

Source: Settlement Revenue from National Association of Attorneys General (NAAG); Cigarette Tax from Office on Smoking and Health (OSH); Others from Orzechowski and Walker (OW)

Investment in Tobacco Control

Appropriations/Grants, 2011



Total Amount and Total Per Capita			
Amount (\$)			
Total Amount:	21,621,126.00		
Total Per Capita:	4.05		


Total Amount by Source						
Source	Amount (\$)	Percentage of Total Amount (%)	Funding Cycle			
State:	19,600,000.00	90.7	07/10-06/11 †			
Federal:	2,021,126.00	9.3	04/10-03/11 ‡			
American Legacy Foundation:	0.00	0.0	07/10-06/11			
Robert Wood Johnson Foundation:	0.00	0.0	07/10-06/11			
Total:	21,621,126.00	100.0				

Note: The data are not adjusted for inflation.

Source: Bridging the Gap/ImpacTeen Project, University of Iillinois at Chicago Health Policy Center (UIC)

[†] For state appropriations, the state funding cycle reported is the state's fiscal year for data from 2000 - 2011. For years prior to 2000, state funding data were tracked for a funding cycle set at July 1 to June 30 for all 50 states and DC.

[‡] For federal appropriations, the funding cycle reported is the funding cycle for the OSH NTCP grant.



Expenditures as a Percentage of 2007 CDC Recommended Level								
Total Amount (\$):	19,626,000.00							
Total Per Capita (\$):	3.70							
2007 CDC Best Practices Recommended Annual Investment (\$):	58,400,000.00							
Total Expenditures as a Percentage of 2007 CDC Recommended Level (%):	33.6							

Expendit	ures by 2007 CDC Best Practices Program Com	ponents
Program Components	Amount (\$)	Percentage of Total Amount (%)
State and Community Interventions:	6,421,000.00	32.7
Health Communication Interventions:	4,689,000.00	23.9
Cessation Interventions:	2,983,000.00	15.2
All Interventions Subtotal:	14,093,000.00	71.8
Surveillance and Evaluation:	2,309,000.00	11.8
Administration and Management:	3,224,000.00	16.4
Total:	19,626,000.00	100.0

Note: The data are not adjusted for inflation.

Source: Bridging the Gap/ImpacTeen Project, University of Iillinois at Chicago Health Policy Center (UIC)

Quitline

General Information

Quitline Name: QUITPLAN Helpline **Phone Numbers:** 952-767-1400

Services Available - Hours of Operation and Available Languages

		Ho	ours of Operation	— Live Pick Up Ca	lls		
Quarter	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
2013-Q4	7:00 AM - 12:00 AM CST						
2013-Q3	7:00 AM - 12:00 AM CST						
2013-Q2	7:00 AM - 12:00 AM CST						
2013-Q1	7:00 AM - 12:00 AM CST						
2012-Q4	NA						
2012-Q3	NA						
2012-Q2	NA						
2012-Q1	NA						

Hours of Operation — Counseling Available												
Quarter	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday					
2013-Q4	7:00 AM - 12:00 AM CST	7:00 AM - 12:0 AM CST										
2013-Q3	7:00 AM - 12:00 AM CST	7:00 AM - 12:0 AM CST										
2013-Q2	7:00 AM - 12:00 AM CST	7:00 AM - 12:0 AM CST										
2013-Q1	7:00 AM - 12:00 AM CST	7:00 AM - 12:0 AM CST										
2012-Q4	NA	NA	NA	NA	NA	NA	NA					
2012-Q3	NA	NA	NA	NA	NA	NA	NA					
2012-Q2	NA	NA	NA	NA	NA	NA	NA					
2012-Q1	NA	NA	NA	NA	NA	NA	NA					

Source: National Quitline Data Warehouse, Office on Smoking and Health (NQDW OSH)

		Av	ailable Langu	ages				
Language	2012-Q1	2012-Q2	2012-Q3	2012-Q4	2013-Q1	2013-Q2	2013-Q3	2013-Q4
English					✓	✓	✓	4
Spanish					✓	✓	✓	✓
French					✓	✓	✓	4
Cantonese					✓	✓	✓	✓
Mandarin					✓	✓	✓	✓
Korean					✓	✓	✓	4
Vietnamese					✓	✓	✓	✓
Russian					✓	4	✓	✓
Greek					✓	✓	✓	✓
Amharic (Ethiopian)					✓	4	✓	✓
Punjabi					✓	✓	✓	✓
Deaf and Hard of Hearing (TTY)					4	4	~	✓
Deaf and Hard of Hearing with Video Relay					4	✓	✓	✓
Other - Translation service offers 191 languages					~			✓

Source: National Quitline Data Warehouse, Office on Smoking and Health (NQDW OSH)

Services Availab	le - Counseling											
	Counseling Available to Everyone†											
2012-Q1 2012-Q2 2012-Q3 2012-Q4 2013-Q1 2013-Q2 2013-Q3 2013-Q												

 $^{^{\}dagger}$ Eligibility criteria do not include Resident of State, Age, and Readiness to Quit.

Source: National Quitline Data Warehouse, Office on Smoking and Health (NQDW OSH)

	Number of Counseling Sessions Offered to All Eligible Callers										
2012-Q1	2012-Q1 2012-Q2 2012-Q3 2012-Q4 2013-Q1 2013-Q2 2013-Q3 2013-Q4										
NA	NA	NA	NA	5	5	5	5				

Source: National Quitline Data Warehouse, Office on Smoking and Health (NQDW OSH)

Services Available - Medications


	Free Medications†													
Medication 2012-Q1 2012-Q2 2012-Q3 2012-Q4 2013-Q1 2013-Q2 2013-Q3 2013-														
Nicotine Patch					<	<	<	<						
Nicotine Gum					<	<	<	<						
Nicotine Lozenge					<	<	<	<						
Nicotine Nasal Spray														
Nicotine Inhaler														
Bupropion (Zyban®)														
Varenicline (Chantix®)														

[✓] Free Medication Offered - No Requirements
✓ Free Medication Offered - With Requirements

Source: National Quitline Data Warehouse, Office on Smoking and Health (NQDW OSH)

Service Utilization - Call Volume

Total Incoming Calls




Total Incoming Calls										
2012-Q1 2012-Q2 2012-Q3 2012-Q4 2012-Total 2013-Q1 2013-Q2 2013-Q3 2013-Q4 2013-Total									2013-Total	
NA	NA	NA	NA	NA	2,444	2,932	2,912	1,714	10,002	

Source: National Quitline Data Warehouse, Office on Smoking and Health (NQDW OSH)

 $^{^{\}dagger}$ Eligibility criteria do not include Resident of State, Age, and Readiness to Quit.

Total Callers Who Received Counseling and/or Medications †




	Total Callers Who Received Counseling and/or Medications†										
2012-Q1 2012-Q2 2012-Q3 2012-Q4 2012-Total 2013-Q1 2013-Q2 2013-Q3 2013-Q4 2013-Total								2013-Total			
NA	NA	NA	NA	NA	671	764	881	433	2,749		

 $[\]ensuremath{^\dagger}$ Only includes callers who called for themselves.

Source: National Quitline Data Warehouse, Office on Smoking and Health (NQDW OSH)

Service Utilization - Caller Characteristics

Characteristics of Callers † ‡, 2012-2013




[†] Only includes callers who called for themselves. Missing values have been excluded.

Source: National Quitline Data Warehouse, Office on Smoking and Health (NQDW OSH)

 $[\]ddagger$ Percentages for race/ethnicity may sum to more than 100% because some callers select more than one race/ethnicity.

Service Utilization - Types of Tobacco Products Used

Types of Tobacco Products Used, 2012-2013



Types of Tobacco Products Used, 2012-2013

Source: National Quitline Data Warehouse, Office on Smoking and Health (NQDW OSH)

Note: Throughout this report NA indicates that the data are not available or are not shown because sample size is < 50.

[†] Only includes callers who called for themselves. Percentages may sum to more than 100% because some callers select more than one tobacco product. The percentage of callers who reported using more than one tobacco product is indicated by Multiple Tobacco Products.